

**REMARKS**

The applicant has amended the application to correct certain typographical and/or grammatical errors. Claim 15 has also been broadened to recite that at least one of a family crest, an engraved mark, a trade mark, and an illustration is provided on the rear surface of the accessory. The application is believed to be in proper form for allowance.

If the Examiner is of the opinion that a telephone conference would expedite the prosecution of this case, the Examiner is invited to contact the undersigned at the number identified below.

Respectfully submitted,

GROSSMAN & FLIGHT, LLC.  
Suite 4220  
20 North Wacker Drive  
Chicago, Illinois 60606  
(312) 580-1020

By:

  
James A. Flight  
Registration No. 37,622

**July 8, 2003**

**MARKED-UP COPIES OF  
AMENDED SPECIFICATION PARAGRAPHS**

Please replace paragraph [0058] with the following paragraph:

--[0058] Under high-illumination, since the light detection signal is supplied to the signal processor B, the internal resistance of the photosensor P1 is decreased, and the output from the Schmitt inverter gate 13 goes high. Therefore, the output from the Schmitt inverter gate 14 goes low. The interval of low output from the Schmitt inverter gate 14 can be arbitrarily determined by the time constant of the resistor [R3] R2 and the capacitor C2. When the output from the Schmitt inverter gate 14 goes low, the output from the NAND Schmitt gate 11 goes low. Therefore, oscillation of the first pulse generator C is stopped. In this case, since one input signal of the OR gate 12 goes low, the output signal from the OR gate 12 goes low regardless of the input signal from the second pulse generator D. Thus, the signal processor B is kept cleared. In this case, since no pulse is input from the first pulse generator C, no carry signal is supplied from the signal processor B to the second pulse generator D. --.

Please replace paragraph [0062] with the following paragraph:

--[0062] Fig. 10B is a schematic sectional view showing an accessory 100A according to the second embodiment of the present invention. In the figure, the transparent body holding member 300 comprises a heat collecting member body 301 composed of a good conductive metal such as aluminum or silver.

and [unguiform] uniform fixing portion 302 made of shape memory alloy.  
The fixing portion 302 is attached to the tip portion of the heat collecting member body 301 by means of caulking or brazing.--.

Please replace paragraph [0067] with the following paragraph:

--[0067] Fig. 11A depicts the states where the transparent body 1 is detachably attached by the fixing portion 306 of the transparent body holding member 305. In the figure, the transparent body 1 of the accessory 100A' is detachably attached to the [a] transparent body fixing member 2 by the means of the holding member 305.--.

Please replace paragraph [0068] with the following paragraph:

--[0068] Fig. 11B is a schematic sectional view showing an accessory 100A' according to the third embodiment of the present invention. In the figure, the transparent body holding member 305 comprises a heat collecting member body 301 made of a good heat conductive metal such as Aluminum or Silver and an [unguiform] uniform fixing portion 306 made of the same metal as that of the heat collecting member body 301.--.

## MARKED-UP COPIES OF AMENDED CLAIMS

Please amend claims 6 and 15 in the following manner:

6. (Once Amended) The accessory according to claim 1, wherein said holding member of said transparent body comprises a fixing portion for fixing said transparent body, a heat collecting member body connected to said fixing portion, and a leg portion for collecting heat from the battery and transmitting the heat to said heat collecting member body, wherein said fixing portion, heat collecting member body and [keg] leg portion are formed integrally.

15. (Once Amended) The accessory according to claim 1, wherein at least one of a family crest, an engraved mark, a trade mark, and an illustration [and the like] is provided on the rear surface of said accessory.

## MARKED-UP COPY OF AMENDED ABSTRACT

Please replace the abstract with the following paragraph:

-- [The present invention provides an] An accessory utilizing a light emitter that is capable of detachably attaching a transparent body such as a gem is provided. Because the [By detaching attaching the] transparent body is detachable and re-attachable, it is easily possible to use a plurality of transparent bodies on one accessory. Also, it is possible to use the accessory in a wide variety of situations according to time, place and occasion. Further, [by] providing a family crest, engraved mark, trade mark, illustration and/or the like on the accessory not only [embellishing] embellishes the effect of the accessory, but also [making] makes the accessory more distinctive.--